

Abstracts Accepted for Oral Presentation

at Obstetric Anaesthesia 2008, Belfast: 15 & 16 May 2008

Thursday 15 May

Oral No	Orig. Abstract No	Time	Title	Authors
O1	16	11.30	Informed consent for epidural analgesia in labour: an OAA approved National Survey	<u>J Middle</u> , M Wee <i>St Mary's Maternity Unit, Poole Hospital, Dorset, UK</i>
O2	25	11.375	Starvation before elective caesarean section causes significant changes in haemoglobin level	<u>M King</u> , I. Wrench, A Gupta. <i>Dept. of Anaesthesia, Royal Hallamshire Hospital, Sheffield.</i>
O3	33	11.45	Audit of remifentanyl PCA in 612 labouring women	<u>P Hodgkinson</u> , D Hughes <i>Department of Anaesthetics, Ulster Hospital, Upper Newtownards Road, Dundonald, Belfast. BT16 1RH.</i>
O4	45	11.525	Obstetric early warning scoring systems: an OAA approved national postal survey.	<u>RDJ Swanton</u> , S Al-Rawi, MYK Wee <i>Department of Anaesthetics, Poole Hospital, Dorset, UK</i>
O5	49	12.00	Does BMI influence degree of pelvic tilt produced by a wedge?	<u>RL Hodgson</u> , SM Kinsella, NL Harvey <i>Department of Anaesthetics, St Michaels Hospital, Bristol, England</i>
O6	53	12.075	Prevention of heat loss during caesarean section	<u>LV McAuley</u> , B Heidemann <i>Department of Anaesthesia, Critical Care and Pain Medicine, Royal Infirmary of Edinburgh</i>
O7	55	12.15	Dose-dependent effects of phenylephrine for elective caesarean section under spinal anaesthesia: implications for the compromised fetus?	<u>A. Stewart</u> , R. Fernando, S. McDonald, R. Hignett, T. Jones, M. Columb, R. Abdul-Kadir <i>Anaesthesia Dept, Royal Free Hospital, London, UK</i>
O8	97	12.225	Does a 30° head-up position in term parturients increase FRC? Implications for general anaesthesia.	<u>R Hignett</u> , A McGlennan, R Fernando, S McDonald, A Stewart, M Columb, T Adamou, P Dilworth <i>Dept. of Anaesthesia, Royal Free Hospital, London</i>
O9	98	12.30	Identifying high risk obstetric anaesthetic patients: a survey of UK practice	<u>J Sivaprakasam</u> , M Purva, I F Russell <i>Hull Royal Infirmary, Anlaby Road, Hull, United Kingdom</i>
O10	127	12.375	The use of fibrinogen concentrate for rapid correction of hypofibrinogenaemia during obstetric haemorrhage	<u>S Bell</u> , PW Collins, RE Collis <i>University Hospital of Wales, Cardiff, UK.</i>
O11	147	12.45	Estimation of blood haemoglobin concentration using the HemoCue® during caesarean section: the effect of sampling site	<u>NA Richards</u> , H Boyce, SM Yentis <i>Chelsea and Westminster Hospital, London, UK</i>
O12	160	12.525	Intra-operative fluid warming in elective caesarean section: a blinded, randomised controlled trial	<u>M Woolnough</u> , C Hemingway, J Allam, M Cox, SM Yentis <i>Chelsea & Westminster Hospital, London</i>

Friday 16 May

Oral No	Orig. Abstract No	Time	Title	Authors
O13	165	11.00	White cell counts in pregnant labouring and non-labouring mothers: reference values.	<u>R Sivasankar</u> , A Kumar, R Baraz, RE Collis <i>Department of Anaesthesia, University Hospital of Wales, Cardiff, UK.</i>
O14	170	11.075	Estimates of maternal risks of pregnancy for women with hereditary haemorrhagic telangiectasia: suggested approach for obstetric anaesthetic services	V Sodhi, <u>B Lambert</u> , A McCarthy, P Lasjaunias, J Jackson, M Sheppard, C Shovlin. <i>Imperial College Healthcare NHS Trust (Hammersmith and Queen Charlotte's Hospitals)</i>
O15	174	11.15	Epidural analgesia, maternal temperature and IL-6 levels in labour: a pilot study	<u>NA Richards</u> , ZS Maharaullee, SM Yentis, PJ Steer <i>Chelsea and Westminster Hospital, London, UK</i>
O16	182	11.225	Effects and mechanisms of action of sildenafil in the feto-placental circulation	C Maharaj, <u>T Lynch</u> , J Jarman, BD Higgins, N Flynn, JJ Morrisson, JG Laffey <i>Department of Anaesthesia, Clinical Sciences Institute and National Centre for Biomedical Engineering Sciences, National University of Ireland, Galway, Ireland</i>

Abstracts Accepted for Poster Presentation

at Obstetric Anaesthesia 2008, Belfast: 15 & 16 May 2008

Those with an asterisk (*) in the final column will be also be published in the IJOA Supplement.

Poster Display No.	Orig No.	Title	Authors	IJOA
P001	148	Pain Catastrophizing Score and Outcomes in Labour	<u>J Humphreys</u> , I Lieberman, S Maguire, <i>M Columb University Hospital of South Manchester, UK.</i>	*
P002	82	Why Are Epidurals Requested But Not Performed?	<u>K Simpson</u> , S Young, T Duggan <i>Princess Royal Maternity Hospital, Glasgow, UK</i>	*
P003	88	Inadvertent Intravascular Injection of Epidural Drugs in Obstetrics	<u>J Hodge</u> , M Dresner <i>Leeds General Infirmary, England</i>	*
P004	106	Cardiac arrest following 15mls low dose mixture (0.1% levobupivacaine & 2µg ml ⁻¹ fentanyl) top up of an epidural on a labour ward.	<u>E Denison Davies</u> , D Radhakrishnan <i>Whipps Cross University Hospital, London, United Kingdom</i>	*
P005	139	A survey of fetal monitoring while establishing regional or general anaesthesia for caesarean section	<u>E Fajemirokun</u> , L Bandara, G O'Sullivan <i>Dept of Anaesthetics, Guy's & St Thomas' NHS Foundation Trust London.</i>	*
P006	110	Audit of intrauterine resuscitation measures (IUR) in patients requiring category 1 caesarean section	<u>E Vermani</u> , CCA Smith, S Mallaiah <i>Liverpool Women's Hospital, Liverpool, UK</i>	*
P007	90	Does the use of a lower lumbar interspace affect the quality of spinal anaesthesia for elective caesarean section?	<u>JC Marriott</u> , C Persad, PAS Moore <i>Birmingham Women's Hospital, England</i>	*
P008	19	A Survey of Anaesthetic Practice for Laser Ablation in Twin-Twin Transfusion in a Tertiary Obstetric Unit	<u>Y Poonawala</u> , C Persad, K Hasan, <i>The Selwyn Crawford Department of Anaesthesia, Birmingham Women's Hospital, England</i>	*
P009	114	The use of early warning physiological scoring systems following caesarean section.	<u>G Browne</u> , D McAtamney, M. Rogan <i>Royal Group of Hospitals, Grosvenor Road, Belfast, N.Ireland.</i>	*
P010	83	Cerebral blood flow parameters variation during roll-over test as a predictor of preeclampsia	<u>E Shifman</u> , A Ivshin, E Gumenuk, S Floka, Y Ermilov <i>Republican Perinatal Center, Petrozavodsk, Russia</i>	*
P011	103	Visual estimation of blood loss by staff on the maternity unit: audit and re-audit following an educational intervention	N Love ^a , <u>H Edgcombe</u> ^a , P Walsh ^b , S O'Neill ^a , R Lovegrove ^c , J Bird ^a <i>^aDepartment of Anaesthetics, Royal Berkshire Hospital, Reading ^bDepartment of Anaesthetics, Wexham Park Hospital, Slough ^cDepartment of General Surgery, Royal Berkshire Hospital, Reading</i>	*
P012	10	Does accurate measurement of blood loss at caesarean section enable the prediction of the postoperative fall in blood haemoglobin levels	<u>A Gupta</u> , IJ Wrench, MJ Feast, JD Alderson <i>Sheffield Teaching Hospitals, Sheffield</i>	*

P013	30	Too pale to patch: Does plasma haemoglobin concentration affect first-time success rate of epidural blood patches?	<u>AM Hards</u> , IJ Wrench <i>Royal Hallamshire Hospital, Sheffield, UK</i>	*
P014	184	Maternal knowledge of the risks of general anaesthesia in obstetrics	<u>K Gough</u> , A Natarajan, PN Robinson, DN Lucas. <i>Dept. of Anaesthesia, Northwick Park Hospital, Harrow, Middlesex HA13UJ</i>	*
P015	111	Impact of the midwifery-led unit on provision of anaesthetic service in a large obstetric unit	<u>R Baraz</u> , S Morris, R E Collis <i>Department of Anaesthesia, University Hospital of Wales, Cardiff, UK</i>	*
P016	137	Competencies of anaesthetic trainees on-call for the labour ward.	<u>S Wray</u> , A Khader, H Bojahr, R Sashidharan <i>The Royal London Hospital, London, UK</i>	*
P017	29	Obstetric anaesthesia in Belgium: the first nationwide survey on current practice.	<u>E. Petre</u> , D. Dylst, E. Vandermeersch, M. Van de Velde. <i>Department of Anesthesiology, UZ Gasthuisberg, Leuven, Belgium.</i>	*
P018	172	Survey of trainee views on Obstetric Anaesthesia	<u>P Tilakaratna</u> , B Krishnachetty, H Bojahr <i>Department of Anaesthesia, Royal London Hospital, United Kingdom</i>	*
P019	81	An audit of medical staff awareness of the use and availability of Intralipid 20% according to recent AAGBI guidelines	<u>S Thomas</u> , R Bajekal <i>Department of Anaesthesia, Newcastle General Hospital and Royal Victoria Infirmary, Newcastle</i>	*
P020	130	An Audit of Awareness and the Management of Local Anaesthetic Toxicity using Intralipid in the Delivery Suite.	<u>J Dougherty</u> , N Syed, R Leighton <i>Department of Anaesthetics, University Hospitals of Leicester, UK</i>	*
P021	104	Audit of anaesthetist involvement in the maintenance of labour epidurals comparing continuous infusion with patient controlled epidural analgesia	<u>A Jenkins</u> , S Millar, CS Urquhart <i>Anaesthetics Department, Paisley Maternity Unit, Royal Alexandra Hospital, Paisley, Scotland</i>	*
P022	140 /141	Audit of maternal satisfaction, total drug doses, workload and neonatal outcome following introduction of patient controlled epidural analgesia	C Barker, <u>S C Rowell</u> , J V Wilkinson, G Peters, J Collie <i>Department of Anaesthesia, Ayrshire Maternity Unit, Crosshouse Hospital, Kilmarnock, Scotland, UK</i>	*
P023	42	Utilisation of analgesia by primiparous women during labour. Correlation with antenatal class attendance.	<u>J Dolan</u> , S Young J Kinsella* <i>Dept. of Anaesthesia, Princess Royal Maternity Hospital, Royal Infirmary, Glasgow, UK and *Anaesthetic Department, University of Glasgow</i>	*
P024	43	Anticipated and perceived pain scores in primiparous patients undergoing induction of labour: The influence of antenatal class attendance.	<u>J Dolan</u> , S Young J Kinsella* <i>Dept. of Anaesthesia, Princess Royal Maternity Hospital, Royal Infirmary, Glasgow, UK and *Anaesthetic Department, University of Glasgow</i>	*
P025	115	Pain relief in the second stage of labour-room for improvement?	<u>S Rathinam</u> , P Tilakaratna, F Plaat <i>Department of Anaesthesia, Queen Charlotte's Hospital, London, UK</i>	*
P026	1	Perineal Pain after Traumatic or Instrumental Vaginal Delivery: An Audit Cycle	<u>J Geoghegan</u> , P Snell, PAS Moore <i>Birmingham Women's Hospital, Birmingham, UK</i>	*

P027	24	National survey of the management of inadvertent epidural catheter disconnection in labour	<u>J Dedhia, E hart, N Hickman, S Jakkumpudi</u> <i>Department of Anaesthesia, University Hospitals of Leicester, Leicester General Hospital, Leicester, UK</i>	*
P028	44	Epidural needle sizes in the UK and rest of the world	<u>T Katawala, S Yentis</u> <i>Chelsea and Westminster Hospital, London, UK</i>	*
P029	113	National Postal Survey of Methods Used to Ensure Asepsis Before Regional Techniques for Obstetrics	<u>M Naik</u> , C Mannakkara, N Aravindhan, <i>Department of Anaesthesia ,Whipps Cross University Hospital ,London UK</i>	*
P030	125	Infective markers and neuraxial blockade in the obstetric population: A postal survey	<u>D Thorp-Jones</u> , RE Collis <i>Department of Anaesthetics and Intensive Care, University Hospital of Wales, Cardiff, UK</i>	*
P031	99	Audit of perception and application of 15° left lateral table tilt for obstetric anaesthesia	<u>A Combeer</u> , S Hawksley East Surrey Hospital, Redhill, Surrey RH1 5RH	*
P032	26	It's leaning how much?	<u>C Dowse</u> , SM Kinsella. <i>St Michael's Hospital, Bristol, UK</i>	*
P033	189	Conversion and Taps, - the performance of a separate space technique for elective Caesarean Section	<u>J Linsell</u> , G Lyons <i>Department of Obstetric Anaesthesia, St.James's Hospital, Leeds, UK.</i>	*
P034	23	Paraesthesia or dysaesthesia accompanying dural puncture when performing combined spinal epidural (CSE) analgesia.	<u>T Lynch</u> , A Van den Berg, M Mansoor, K Rasheed, C Roche, T O Connor. <i>Department of Anaesthesia, Sligo General Hospital, Ireland</i>	*
P035	74	Preparation times for pH-adjusted lidocaine/ adrenaline epidural top-up mixture	<u>C. Hemingway</u> , M. Woolnough, N. Richards, S. Yentis <i>Chelsea and Westminster Hospital, London</i>	*
P036	78	Record keeping for Caesarean Sections. A re-Audit	<u>P Gorton</u> , I F Russell, M Purva, J Holland <i>Hull and East Yorkshire Women's and Children's Hospital, England</i>	*
P037	56	Audit of transfer times to theatre post introduction of an Emergency LSCS Pathway	<u>J Sanders</u> , L Woodward, R Taylor, H Swales <i>Princess Ann Hospital, Southampton, UK</i>	*
P038	67	Urgency of caesarean section categories: do we know what we are aiming for? TOO LONG!!	<u>H Akerman</u> , EM Read, J Eldridge <i>Department of Anaesthetics, Portsmouth Hospitals, Portsmouth, UK.</i>	*
P039	60	Conversion from regional to general anaesthesia for emergency and elective caesarean section	<u>PJW Reide</u> , J Durbridge, SM Yentis <i>Chelsea and Westminster Hospital, London, UK.</i>	*
P040	96	General anaesthesia rate for caesarean sections and variation among the ethnic minority: Audit over 12 months.	<u>J Joseph</u> , C Laxton <i>Southmead Hospital, Bristol, UK.</i>	*
P041	4	Failed or difficult intubations and training opportunities for caesarean section under General Anaesthesia: Annual auditing and re-auditing.	<u>I Ahmed</u> , V Patel, N Hickman <i>Department of Anaesthetics, Leicester General Hospital, UK</i>	*
P042	27	Using audit as a tool to redesign an anaesthetic chart	<u>C Dowse</u> , S Napier, D Seddon, NL Harvey <i>St Michael's Hospital, Bristol, UK</i>	*

P043	186	Uterine exteriorisation at Caesarean section: a completed audit cycle	<u>M Georghiou</u> , CR Bedson, F Plaat <i>Dept. of Anaesthesia, Queen Charlotte's & Chelsea Hospital, London</i>	*
P044	143	Audit of recovery standards for obstetric patients in 5 maternity units in the West of Scotland	C Barker, J V Wilkinson, S C Rowell, R O'Connor <i>Department of Anaesthesia, Southern General Hospital, Glasgow, UK</i>	*
P045	36	Utilisation of a High Dependency Unit (HDU) facility on delivery suite	<u>A Kelkar</u> , E Hart <i>Department of Anaesthesia, Leicester General Hospital, University Hospitals of Leicester, UK</i>	*
P046	183	Introduction of Transversus Abdominis Plane block for post caesarean section analgesia –A substitute or a supplement to patient controlled opioids?	<u>F J Emerantia Jacintha</u> , C Stewart, R J Vickers <i>Department of Anaesthesia, Queen's Hospital, Belvedere Road, Burton on Trent, UK</i>	*
P047	122	Post-operative Patient Controlled Analgesia (PCA) monitoring – The thin end of the wedge?	<u>G Peters</u> , S Martin, C Barker, J Reid <i>Queen Mothers Maternity Hospital, Glasgow, UK</i>	*
P048	48	An audit of self medicated post operative analgesic requirements after elective caesarean section comparing intrathecal fentanyl and diamorphine.	<u>C Ingram</u> , I Suri <i>Anaesthetic Department, Warwick Hospital, UK</i>	*
P049	116	Working practices and theatre staffing of maternity units in England with 3000 to 5000 deliveries per year	<u>NA Mathew</u> , R Mohan, GS Chandan, C De Klerk <i>Royal Shrewsbury Hospital, England</i>	*
P050	66	Obesity in obstetrics: An audit on the obesity alert system and patients' intrapartum course.	<u>M Mok</u> , V Clark <i>Royal Infirmary of Edinburgh, UK</i>	*
P051	167	Impact of increasing maternal obesity on anaesthetic service provision from 1998 to 2006.	<u>R Vennila</u> , P Barclay <i>Department of Anaesthesia, Liverpool Women's Hospital, United Kingdom</i>	*
P052	69	Prospective audit of the impact of obesity in an elective caesarean section population	<u>T Duggan</u> , A Simpson, R Ray <i>Wishaw General Hospital, Lanarkshire, UK</i>	*
P053	73	Saving Mothers' Lives: is CEMACH reaching the right people?	<u>A.Moore-Gwyn</u> , S.M.Yentis, J.Durbridge <i>Chelsea & Westminster Hospital, London</i>	*
P054	173	Thromboembolism risk assessment: Are we complacent?	<u>B Krishnachetty</u> , D S Sethi, R Sashidharan <i>The Royal London Hospital, London, UK</i>	*
P055	134	Severe obstetric morbidity and the value of modified early obstetric warning scores.	<u>S Wray</u> *, P Ramanathan**, M Jagadeesan**, R Sashidharan* <i>Departments of Anaesthesia* & Obstetrics**, The Royal London Hospital, London, UK</i>	*
P056	70	Estimate of incidence of cardiac disease in our obstetric population and retrospective audit of antenatal and intrapartum management of women with significant cardiac disease.	<u>P Mackie</u> ¹ , S Pilkington ¹ , A Harris ² , S Walker ² <i>Departments of Anaesthesia¹ and Obstetrics and Gynaecology², St Mary's Hospital, Portsmouth,UK.</i>	*
P057	6	Central Venous Catheter insertion in the labour suite- ultrasound guided, or landmark technique?	<u>Rachel Kearns</u> , Steven Young, Elizabeth McGrady. <i>Princess Royal Maternity Unit, Glasgow Royal Infirmary, Castle Street, Glasgow, G4 0SF</i>	*

P058	9	Role of transoesophageal echocardiography (TOE) & ventricular resynchronisation in perioperative management of severe peripartum cardiomyopathy (PPCM)	<u>A Ahmed-Nusrath</u> , S Francis, J Swanevelder <i>Department of Anaesthesia, University Hospitals of Leicester NHS Trust, Leicester, UK</i>	*
P059	20	Anaesthesia for caesarean section (LSCS) in patient with Klippel Feil syndrome-report of two cases	<u>A Ahmed-Nusrath</u> , A Kelkar, S Francis, M Mushambi <i>Department of Anaesthesia, University Hospitals of Leicester NHS Trust, Leicester, UK</i>	*
P060	68	Uncorrected coarctation of the descending aorta in pregnancy complicated by preeclampsia: a case report	<u>H du Plessis</u> , G Peters, F Bryden <i>Princess Royal Maternity Hospital, Glasgow, UK</i>	*
P061	64	Life threatening Airway Obstruction in Obstetric patient, presenting to a Non Obstetric Acute Hospital	<u>Ali Syed Zulfiqar</u> , Johanne Lynch, John Thompson, Arabella Fahy <i>AMNCH Tallaght Dublin 8 Haydens Parkway Lucan Dublin</i>	*
P062	157	Postural Orthostatic Tachycardia Syndrome in the Puerperium : case report	<u>T Gough</u> , S Philip, D Radhakrishnan <i>Whipps Cross Hospital, London, E11 1NR UK</i>	*
P063	112	Social demographics of non-English speaking parturients.	<u>J Dolan</u> , S Young J Kinsella <i>Dept. of Anaesthesia, Princess Royal Maternity Hospital, Royal Infirmary, Glasgow, UK and *Anaesthetic Department, University of Glasgow</i>	*
P064	13	Ethnic minority and teenage mothers: How informed are they about epidural associated risks (EAR)?	<u>I Ahmed</u> , P Slater, E Atoia, M Mushambi <i>Leicester Royal Infirmary, Leicester, LE1 5WW, UK.</i>	*
P065	120	Access to Antenatal Education in a Multicultural Inner City Setting Aug-Sept 2007	<u>P Babb</u> , H Bojahr <i>Royal London Hospital, London, UK</i>	*
P066	117	Trainees experience commencing obstetric anaesthetic on call	<u>LC McGhee</u> , AM Holtham, D Mayne <i>Northern Schools of Anaesthesia, UK</i>	*
P067	181	Multidisciplinary team training: a high fidelity medical simulator for the delivery unit	<u>A Surendran</u> , R Tandon, J McDougall <i>Cambridge University Hospitals, Cambridge, UK</i>	*
P068	31	Big push to Big units – Liverpool Experience 2007	<u>E. Vermani</u> ; T D Wauchob <i>Liverpool Women's Hospital, England</i>	*
P069	39	National survey of support and counselling after maternal death	<u>S McCready</u> , R Russell <i>Oxford Radcliffe Hospital, Oxford, UK</i>	*
P070	12	Practice of red blood cell transfusion in the immediate peripartum period on labour ward	FN Fombon, <u>A Kelkar</u> , H Brooks <i>Department of Anaesthesia, Leicester General Hospital, University Hospitals of Leicester, UK</i>	*
P071	32	Is it practical to have a cell saver in the maternity theatre in a District General Hospital?	<u>S Mercer</u> <i>Countess of Chester Hospital NHS Foundation Trust, Chester</i>	*
P072	180	Estimating blood loss in caesarean sections: a guide to cell salvage?	<u>A Surendran</u> , C Walsh, J Bamber <i>Cambridge University Hospitals, Cambridge, UK</i>	*
P073	109	Investing in Intra-Operative Cell Salvage – experience of a Bristol Teaching Hospital	<u>C Dowse</u> , I Gardner, C Laxton, M Scrutton <i>Bristol, UK</i>	*

P074	37	Introduction of cell salvage to a large obstetric unit – the first 6 months.	<u>R. Broadley</u> , M. King, I. Wrench, R. Spray, A Galimberti*. <i>Departments of Anaesthesia, and Obstetrics & Gynaecology*, Royal Hallamshire Hospital, Sheffield, UK.</i>	*
P075	40	Introducing cell salvage in obstetric practice - the first year's experience	<u>A Dharmarajah</u> , R Bedson, F Plaat, *W McSporran, <i>Queen Charlotte's Hospital, London, UK and *Blood Transfusion, Hammersmith Hospital, London, UK</i>	*
P076	91	Effect of mu-OR A118G polymorphism on ED50 of epidural sufentanil	<u>Camorcia M</u> , Berritta C, Stirparo S, Farcomeni A, Capogna G, Landau R*, Blouin JL+ <i>Departments of Anaesthesia, Città di Roma Hospital, Roma and *Hôpitaux Universitaires de Genève, +Department of Genetic Medicine, Geneva University</i>	*
P077	138	Addition of small doses of morphine to intrathecal labor analgesia – a randomized controlled dose- finding study	<u>A Hein</u> , P Rösblad, *M Norman, *B Tingåker, *S Ryniak, *G Dahlgren <i>Departments of Anesthesia & Intensive Care Medicine and *Obstetrics & Gynecology, Karolinska Institutet at Danderyd Hospital and *Karolinska University Hospital, Stockholm, Sweden</i>	*
P078	86	Impact of introduction of Remifentanil PCA for labour analgesia on epidural rate and obstetric outcome over a 2 year period	<u>N Gupta</u> , D Hill, D Hughes, N Wallace <i>Ulster Hospital, Belfast United Kingdom</i>	*
P079	84	Remifentanil is safe and effective for PCIA during labour – the results in 305 parturients	<u>J B M Harbers</u> , A Drogdrop, R van Ieperen <i>TweeSteden ziekenhuis, Tilburg Netherlands</i>	*
P080	169	NHS Litigation Authority claims associated with caesarean sections.	<u>K Ashpole</u> , ¹ SM Yentis, ¹ S Scott, ² R Mihai, ² TM Cook ³ <i>1. Chelsea and Westminster Hospital, London, 2. John Radcliffe Hospital, Oxford, UK 3. Royal United Hospital, Bath, UK</i>	*
P081	132	An audit of itch following intrathecal diamorphine for caesarean section	<u>L Baird</u> , T Dunn <i>Wishaw General Hospital Wishaw, Scotland</i>	*
P082	145	A prospective, double blinded randomised controlled trial of ephedrine infusions and ephedrine boluses for the prevention of hypotension during spinal anaesthesia for caesarean section	<u>O Boswell</u> , J Eldridge, I Taylor, V Tucker; <i>Department of Anaesthetics, Portsmouth Hospitals, Portsmouth, United Kingdom</i>	*
P083	87	Regional survey of antibiotic prophylaxis for caesarean section Jan-Feb 2007	<u>SP Singh</u> , UR Bapat, SP Rhodes <i>James Paget University Hospital, England</i>	*
P084	149	National survey of current UK practice for the preparation and storage of anaesthetic drugs for obstetric emergencies	<u>J Stone</u> , L Fenner, T Christmas, B Maxwell <i>Department of Anaesthetics, Great Western Hospital, Swindon</i>	*

P085	150	Frequency of regional anaesthesia in obstetric surgery: a 1-year audit	<u>Kandic V</u> , Pejakov Lj, Marijanovic G <i>Clinical Centre of Montenegro, Clinic for anaesthesia, intensive care and pain therapy, Podgorica, Ljubljanska bb, Montenegro</i>	*
P086	89	A survey of anaesthetic management of the Category 1 caesarean section (OAA Survey #63)	<u>SM Kinsella</u> , B Walton, R Sashidharan*, T Draycott** <i>St Michael's Hospital Bristol, *Royal London Hospital and **Southmead Hospital Bristol</i>	*
P087	126	Why 100 Mg of Suxamthonium?	<u>T Kathirgamanathan</u> <i>Watford General Hospital, Watford</i>	*
P088	168	<i>Investigation of ROTEM® Thromboelastometry Reference Ranges for Parturients in their Third Trimester of Pregnancy.</i>	<u>K. Ashpole</u> , R. Fernando, R. Simons, M. Columb Anaesthesia Dept, Royal Free Hospital, Pond Street, London, UK, NW3 2QG	*
P089	101	Arterial uterine embolisation into operating theatre for severe postpartum hemorrhage	<u>D.P.Giudicelli</u> , Ph.Robert, S.Ronze, V.Julien, O Rondelet <i>Anesthésie, Clinique du Val d'Ouest, Ecully, France</i>	*
P090	164	Anaesthesia for parturients with mechanical heart valves: a case series	<u>P Ramasamy</u> , K Von Klempere, F Walker, R Bell <i>University College London Hospitals, 235 Euston Road, London, UK</i>	*
P091	156	Massive pulmonary thrombo-embolism in pregnancy: a case report	<u>M Bartimeus</u> , T Allnatt, M Razzaque, H Bojahr <i>Royal London Hospital, Whitechapel, London E1 1BB</i>	*
P092	54	A prospective national study of acute fatty liver of pregnancy in the UK	<u>S Yentis</u> on behalf of UKOSS <i>National Perinatal Epidemiology Unit, University of Oxford, UK</i>	*
P093	17	Pouring it down the drain: A blood transfusion audit	<u>G.Stocken</u> , M Purva, I.F.Russell <i>Hull and E Yorkshire Women's and Children's Hospitals NHS Trust, Hull</i>	
P094	52	Blood use on delivery suite: rational or extravagant?	<u>R Vedagiri Sai</u> , D Clarence, S Nortcliffe <i>Manor Hospital, Walsall, UK</i>	
P095	107	A retrospective audit of massive obstetric haemorrhage. Would cell salvage have been feasible in these cases?	<u>E Powell</u> , J James. <i>Department of Anaesthesia, Heartlands Hospital, Birmingham, UK.</i>	
P096	51	Difficult airway equipment in obstetric units: Wessex Regional Survey	<u>S Radauceanu</u> , I Taylor, J Eldridge <i>Portsmouth Hospitals NHS Trust, Portsmouth, UK</i>	
P097	35	Audit of daytime obstetric theatre activity in a tertiary referral maternity unit in Northern Ireland.	<u>A Govindarajan</u> , U Carabine <i>Royal Jubilee Maternity Hospital, Belfast.</i>	
P098	187	Does time of the day influence the anaesthesia for emergency caesarean sections? Observational survey	<u>J Joseph</u> , C Laxton <i>Southmead Hospital, Bristol, UK.</i>	
P099	118	Survey of communication practice during preparation for non-elective caesarean section in hospitals in the West Midlands.	<u>T Morgan-Jones</u> , S Chavan, G Sharif <i>Birmingham Women's Hospital, UK</i>	

P100	155	Delays in interventional delivery	<u>A Natarajan</u> , K. Rao, PN Robinson and BA Loughnan <i>Northwick Park Hospital, Middlesex HA1 3UJ</i>	
P101	41	Organisation and service provision for elective caesarean sections	<u>A Dharmarajah</u> , F Plaat, M Esler <i>Queen Charlotte's Hospital, London, UK</i>	
P102	65	Urgency of caesarean section: do obstetricians and anaesthetists grade the same?	<u>S Carty</u> , J Thurlow, Taunton & Somerset NHS Trust, Musgrove Park, Taunton, England	
P103	128	An audit of general anaesthesia for caesarean section	<u>A Troy</u> <i>Department of Anaesthesia, Countess of Chester NHS Trust, Chester, UK</i>	
P104	92	Audit of technique of anaesthesia for caesarean section	<u>D Milne</u> , W Peat, A Pinder, M Dresner <i>Leeds General Infirmary, England</i>	
P105	161	An audit of technique of anaesthesia for caesarean section	<u>M Sivakumar</u> , M Purva, I F Russell, <i>Department of Anaesthesia, Women's and Children's Hospital, Hull</i>	
P106	163	General anaesthesia in the obstetric population: an audit of our experience	<u>Ramasamy P</u> , Leighton R <i>Department of Anaesthesia, Leicester Royal Infirmary, Leicester, England</i>	
P107	154	Failed epidural blocks for emergency caesarean section	<u>R. Appleton</u> , J Reid <i>Queen Mothers' Maternity Hospital, Glasgow</i>	
P108	7	An audit of intrathecal fentanyl and diamorphine as adjuncts in spinal anaesthesia for caesarean section	<u>VK Ramaiah</u> , D. Khare, I Suri <i>Department of Anaesthetics, Warwick Hospital, UK</i>	
P109	85	Warming of patients during caesarean section: a telephone survey	<u>M Woolnough</u> , C Hemingway, J Allam, M Cox, SM Yentis <i>Chelsea & Westminster Hospital, London</i>	
P110	80	Thromboprophylaxis following caesarean section or instrumental delivery in theatre – a survey of practice of North West Obstetric Units	<u>A Howells</u> , R Macnab <i>Manchester Royal Infirmary, Manchester UK.</i>	
P111	58	Post caesarean section pain relief and the incidence and treatment of associated side effects	S Webster, B Huntley, <u>N Wharton</u> <i>St Michaels Hospital, Bristol, UK</i>	
P112	18	Self administration of analgesics after caesarean section.	<u>D Khare</u> , V Ramiah, I Suri <i>Department of Anaesthesia, South Warwickshire hospital, Warwick, UK</i>	
P113	123	Pain control during the initial 48 hours after caesarean section	<u>K Darragh</u> , M Mok, C Don, A McCrae <i>Royal Infirmary of Edinburgh, UK</i>	
P114	94	Audit of adherence to NICE guidelines regarding post caesarean section analgesia April-May 2007	<u>D Milne</u> , A Pinder, W Peat <i>Leeds General Infirmary, England</i>	
P115	61	Discharge analgesia post-caesarean section: an audit	<u>G Lowe</u> , N Facey, F Henderson <i>Dept of Anaesthesia, Southern General Hospital, Glasgow, UK</i>	
P116	131	An audit of the maintenance of blood pressure in preclampsic women undergoing caesarean section using phenylephrine infusions	<u>J Dougherty</u> ¹ , P Sharpe ¹ , P Bosio ² , C Elton ¹ <i>Department of Anaesthesia¹ and Obstetrics², University Hospitals of Leicester, UK</i>	

P117	142	Audit of anaesthesia for caesarean section and instrumental deliveries before and after the introduction of patient controlled epidural analgesia	C Barker, <u>S C Rowell</u> , J V Wilkinson, G Peters, J Collie <i>Department of Anaesthesia, Ayrshire Maternity Unit, Crosshouse Hospital, Kilmarnock, Scotland, UK</i>
P118	124	Transversus abdominis plane block for post-caesarean section pain relief. case report and demonstration of anatomy by ultrasound	<u>D Mumby</u> , EL Hartsilver, MWM Rucklidge, M Grayling <i>Royal Devon and Exeter Hospital, Exeter, UK</i>
P119	129	Audit of delays in elective obstetric procedures	<u>P Ranote</u> , J Chew, G Yuill <i>Dept of Anaesthesia, Stepping Hill Hospital, Stockport, UK</i>
P120	121	Delay in elective caesarean sections in a district general hospital.	<u>S Chavan</u> , J Wright <i>Russells Hall Hospital, Dudley, UK</i>
P121	158	Documentation of assessment of spinal anaesthetic block for caesarean section - a retrospective audit.	<u>SR Uppugonduri</u> , JB Sadashivaiah, L Vedham <i>University Hospital of North Staffordshire, Stoke on Trent, UK</i>
P122	2	Obstetric anaesthetic documentation	<u>H Akerman</u> , A Lind, B Maxwell, D Pritchard <i>Anaesthetic Department, Great Western Hospital, Swindon</i>
P123	72	An audit to determine if a new obstetric anaesthetic chart improved record keeping.	<u>Dr Simon Mercer</u> (Specialist Registrar), Dr Anne Troy (Consultant), <i>Countess of Chester Hospital NHS Foundation Trust, Chester</i>
P124	5	Record keeping in obstetric anaesthesia.	<u>K Melarkode</u> , S Dwarakanath, Y Latoo <i>Bedford Hospital NHS Trust Kempston Road Bedford MK42 9DJ</i>
P125	28	A survey of information and consent during labour for epidural analgesia amongst trainee anaesthetists in the West Midlands.	<u>P Shastri</u> , I Suri. <i>Department of Anaesthesia, South Warwickshire General Hospitals NHS Trust, Warwick. CV34 5BW.</i>
P126	159	Documenting consent and risks of obstetric regional anaesthesia: a survey of current practice.	<u>V Sharma</u> , L Hulatt, R Russell. <i>Nuffield Dept of Anaesthetics, Oxford, UK</i>
P127	100	Recall of consent for epidural analgesia in labour and adequacy of antenatal education regarding epidurals	<u>Elizabeth Combeer</u> , <i>Royal Surrey County Hospital, Guildford, GU2 7XX, UK</i>
P128	14	Written information about epidural-associated risks improves informed consent and maternal satisfaction	<u>I Ahmed</u> , D O'Neil, B Rajala, A Joseph, M Mushambi <i>Leicester Royal Infirmary, Leicester, LE1 5WW, UK.</i>
P129	71	Effect of the introduction of a written epidural information card on the recall of epidural complications by women in labour.	<u>P Mackie</u> , S Pilkington. <i>Department of Anesthesia, St. Mary's Hospital, Portsmouth, UK.</i>
P130	11	The introduction of an epidural information card improves informed consent and patient satisfaction	<u>J Middle</u> , J Wilson: <i>Dorset County Hospital, Williams Avenue, Dorchester, DT1 2JY</i>
P131	22	Information about analgesia in labour: survey of mothers post partum	<u>N Venugopal</u> , P Umashankar, B Sujith <i>Darlington Memorial Hospital, Darlington, England.</i>

P132	188	A retrospective audit of antenatal information about obstetric anaesthesia & analgesia: patient recall of discussed risks intrapartum and patient satisfaction with consent.	<u>NKA Husain</u> , V Ramaiah <i>John Hammond Department of Anaesthesia, East Surrey Hospital, Redhill, UK</i>
P133	34	Audit of antenatal information provision regarding perinatal analgesia and anaesthesia .	<u>N. Plant</u> , S. Maguire; <i>Wythenshawe Hospital, Southmoor Rd, Manchester M239LT.</i>
P134	46	A review of patients with back problems referred to the obstetric anaesthetic clinic.	<u>A Tahlan</u> , M Purva, IF Russell <i>Women and Children hospital, Hull</i>
P135	77	Review of admissions to intensive care from labour ward over a three year period	<u>A Kelkar</u> , A Keeshan, R Leighton <i>Department of Anaesthesia and Critical Care, University Hospitals of Leicester NHS Trust, Leicester, UK</i>
P136	152	Factors associated with smoking habit in primiparous women undergoing induction of labour.	K Simpson, <u>J Dolan</u> , S Young J Kinsella <i>Dept. of Anaesthesia, Princess Royal Maternity Hospital, Royal Infirmary, Glasgow, UK and *Anaesthetic Department, University of Glasgow</i>
P137	185	The eclampsia box: essential kit in the delivery suite?	<u>C Chan</u> , P N Robinson, DN Lucas <i>Dept. of Anaesthesia, Northwick Park Hospital, Harrow, Middlesex HA13UJ</i>
P138	153	Labour analgesia in morbidly obese parturients	Gowrie-Mohan S, <u>Wildman M</u> , S, Kuo P, <i>Ramanayake PU Dept of Anaesthesia, Lister Hospital, Stevenage</i>
P139	178	Early labour analgesia in high risk obstetric patients	<u>A. Kumar</u> , N Saxena, RE Collis, O. Adekanye <i>University Hospital of Wales, Cardiff</i>
P140	8	Is continuous infusion of 0.05% bupivacaine with 2 µg/ml fentanyl effective for labour analgesia?	<u>K Melarkode</u> , G Patkar <i>Dept. of Anaesthesia, L.T.M.Medical College & Hospital, Sion, Mumbai, India.</i>
P141	21	Intermittent bolus only or background infusion with rescue boluses? An audit of PCEA regimes	<u>Dr R Basavarajappa</u> Dr B Sujith, <i>Department of Anaesthetics, Darlington Memorial Hospital, Darlington, UK</i>
P142	15	An audit of epidural response times, and 'Making it Better'	<u>AJ Donaldson</u> , AM Arch, GM Yuill <i>Department of Anaesthesia, Stepping Hill Hospital, Stockport, UK</i>
P143	57	Audit of response times for the provision of intrapartum analgesia	<u>O Thompson</u> , A Addei <i>Department of Anaesthesia, St George's Hospital, London, UK</i>
P144	75	Time to take note: delay in attendance for insertion of epidural analgesia for labour	<u>G Peters</u> and PA Stone <i>Department of Anaesthesia, Queen Mothers Hospital (QMH), Glasgow, UK</i>
P145	135	A guideline for feeding and antacid prophylaxis in labour: ensuring a safer outcome	<u>S Halder</u> , C Laxton, F Donald <i>Department of Anaesthetics, Southmead Hospital, Bristol, UK</i>
P146	63	An audit of obstetric follow up: initial audit, changes to practice and then reaudit	<u>K Robson</u> , J.Stone <i>Department of Anaesthesia, Great Western Hospital, Swindon, UK.</i>
P147	105	Impact of obesity on the obstetric anaesthetic clinic-a four year retrospective audit	<u>N Syed</u> H Brooks <i>Leicester General Hospital, U.K</i>

P148	119	Antenatal anaesthetic assessment of the morbidly obese parturient	<u>Kelkar A</u> , Leighton R <i>Department of Anaesthesia, University Hospitals of Leicester NHS Trust, Leicester, UK</i>
P149	76	Audit of guideline compliance for platelet count and central neural blockade in healthy parturients	<u>G Peters</u> and PA Stone <i>Department of Obstetric Anaesthesia, Queen Mothers Hospital, Glasgow, UK</i>
P150	93	Obstetric anaesthetic training: breaking the myth?	<u>M.S.K.P Rao</u> , I. Russel, M. Purva. <i>Department of Anesthesiology, Hull Royal Infirmary, United Kingdom.</i>
P151	3	Cost effectiveness of epidural analgesia kits in the maternity unit: an audit.	<u>K Melarkode</u> , A Karmakar, Y Latoo <i>Bedford Hospital NHS Trust Kempston Road Bedford MK42 9DJ</i>
P152	171	Disability and pregnancy: challenges for the obstetric anaesthetist.	<u>EE Pickering</u> , CR Bedson , C Nelson-Piercy, A McCarthy, MK Dhanjal, SA Kirby, V Sodhi. <i>Queen Charlotte's and Chelsea Hospital, London</i>
P153	95	Follow-up of post-anaesthetic procedures in obstetric practice: Audit over 12 months.	<u>J Joseph</u> , C Laxton <i>Southmead Hospital, Bristol, UK.</i>
P154	136	A comparison of obstetric units in two London teaching hospitals.	<u>S Wray*</u> , H Bojahr*, A Con** <i>Departments of Anaesthesia, The Royal London Hospital* and St. Mary's Hospital**, London, UK</i>
P155	79	Ultrasound guidance in the management a dry tap during combined spinal-epidural blockade:	<u>F Neirami</u> , F Plaat, <i>Department of Obstetric Anaesthesia, Queen Charlotte's Hospital, London</i>
P156	47	An anaesthetist's dilemma	<u>M Salit</u> , S A Nortcliffe <i>Department of Anaesthesia, Walsall Hospital NHS Trust, United Kingdom</i>
P157	108	Increasing catabolism of pregnancy-sustaining steroids near term of labor	<u>A Pařízek</u> ¹ , M Hill ² , A.Pašková ¹ , Z. Žížka ¹ , M. Klímková ¹ , H Včeláková ² , L Stárka ² ¹ <i>Clinic of Gynecology and Obstetrics, General Faculty Hospital, Prague, Czech Republic, ²Institute of Endocrinology, Prague, Czech Republic</i>
P158	175	Anaesthesia for caesarean section in patients suffering from cardiomyopathy	<u>M Zimányi</u> , I Szegesdi <i>University of Szeged – Faculty of Medicine Albert Szent-Györgyi Clinical Center Anesthesiology and Intensive Therapy Department, Hungary</i>
P159	162	Perioperative management of a patient with continuous subcutaneous Insulin pump for an elective Caesarean section.	<u>Khan J A</u> , Zuokomor A <i>St.Mary's Hospital, Manchester, UK</i>
P160	50	Pregnancy and thyrotoxicosis; a case report	<u>D Porter</u> <i>Walsall Manor Hospital, Walsall, West Midlands. UK</i>
P161	179	Pregnancy in patient with Parkinson's Disease	<u>A Graça</u> , A. Dagge; S. Fontes; M. Campos;M. Azevedo <i>Centro Hospitalar do Porto, Oporto, Portugal</i>

P162	177	Case report of combined general-epidural anaesthesia for cesarean section in a parturient with dilated cardiomyopathy	<u>C Rocha</u> , C Pinheiro*, AM Lourenço, F Abreu, MJ Tavares <i>Department Anaesthesiology HSJ Porto and *Department Anaesthesiology CHTMAD Vila Real, Portugal</i>
P163	176	Status migrainosus – postpartum headache following spinal anaesthesia	<u>TC Rope</u> , S Malhotra <i>Department of Anaesthetics, St Marys Hospital, London</i>
P164	38	Puerperal seizures – eclampsia or encephalitis? A case report.	<u>J Corfe</u> , D Liu <i>Bedford Hospital, Kempston Rd, Bedford, UK</i>
P165	62	Elective caesarean section in a patient with multiple congenital haemangiomas: case report	<u>A Thompson</u> , S Radauceanu, H Swales <i>Southampton University Hospitals NHS Trust, UK</i>
P166	102	Anaesthesia for caesarean section in a patient with dopa-responsive dystonia (Segawa's Syndrome)	<u>A Sinha</u> , EL Hartsilver, Royal Devon & Exeter NHS Foundation Trust, Exeter, EX2 5DW, UK
P167	144	Anaesthesia for caesarean section in a patient with spinal muscular atrophy type II and total spinal fusion	<u>A Shakir</u> , J Scott <i>Guy's and St.Thomas Hospital, United Kingdom</i>
P168	146	Post-partum eclampsia in a parturient with nephrotic syndrome Dec. 2007	<u>P Babb</u> , H Bojahr, M Razzaque <i>Royal London Hospital, London, UK</i>
P169	133	A case of persistent cerebrospinal fluid leak following a combined spinal-epidural technique for caesarean section	<u>C Swampillai</u> , S Reynolds , L Wee <i>University College Hospital, London, United Kingdom</i>
P170	59	Anaesthesia for caesarean section after acute neurological deterioration in a patient with Sturge-Weber Syndrome	<u>M Hayes</u> , R Ni Mhuirheartaigh, C McCaul <i>Rotunda Hospital, Dublin</i>
P171	151	Anaesthesia for parturients with arteriovenous malformations	S Gowrie-Mohan, <u>K King</u> , E H Twe, K Sarang. <i>Dept of Anaesthesia, Lister Hospital, Stevenage</i>
P172	166	Audit of labour ward clock accuracy before and after daylight savings hour change.	<u>Fraser S</u> , Reid J <i>Western Infirmary, Glasgow</i>