

ORAL PRESENTATIONS

(The presenter is underlined) (T) indicates a Trainee poster

Session 1: Thursday 21 May 2009

- O.1 11:30:00 (T) **Catheter techniques succeed in scoliosis**
S E Taylor, RC Wilson, H Mclure, G Lyons
- O.2 11:37:50 (T) **Increased incidence of pain on threading and bloody tap for BBraun epidural catheter compared to Portex**
H Jeffery, IJ Wrench, R Porter
- O.3 11:45:00 (T) **Length matters! A review of 18,433 lumbar epidurals to assess optimal catheter length for labour analgesia**
N Hollister, JC Barker, D Thorp-Jones, J Coghill
- O.4 11:52:50 **The effect of epidural analgesia on breast feeding: analysis of a randomized controlled trial**
MJA Wilson, C MacArthur, A Shennan
- O.5 12:00:00 (T) **A comparison of automated intermittent mandatory boluses with a basal infusion in patient-controlled epidural analgesia for labour and delivery**
S Leo, CE Ocampo, Y Lim, ATH Sia
- O.6 12:07:50 **Local anaesthetic requirements are increased by dystocia but not by prostaglandin-induced labour**
PY Dewandre, C Sougne, V Bonhomme, JF Brichant

Session 2: Friday 22 May 2009

- O.7 11:00:00 (T) **Anaesthesia and pregnancy outcomes in cystic fibrosis: case series from one centre**
S Quasim, S Dinesh, M Benham
- O.8 11:07:50 **Study to determine the incidence of triggering using CEMACH-recommended modified early obstetric warning system (MEOWS)**
M Kodikara, A P McGlennan
- O.9 11:15:00 (T) **A non-interchangeable connector system to prevent accidental intravenous misconnection of epidural infusions on the labour ward**
R Santhirapala, A Arora, JJ Carter, A Surendran, PJ Young
- O.10 11:22:50 (T) **What's the damage? Litigation and neuraxial block in obstetric practice**
H Boyce, F Plaat
- O.11 11:30:00 **Spinal anaesthesia with levobupivacaine: does it allow fast-tracking?**
M Vercauteren, MB Breebaart, HC Copejans, D Van Doninck
- O.12 11:37:50 (T) **Randomised controlled trial comparing the effects of oxytocin i.v. bolus vs. oxytocin i.v. infusion on cardiac output during caesarean section**
C Mollitt, A Ssenoga, C Grassman, PM Barclay
- O.13 11:45:00 (T) **A case series of successful videolaryngoscopic intubations in obstetric patients**
K Gray, N Lucas, PN Robinson, B Loughnan, H Morris, K Rao, DJA Vaughan
- O.14 11:52:50 (T) **Preoxygenation in the obstetric and non-obstetric population: effectiveness of a new technique**
R Baraz, RE Collis
- O.15 12:00:00 (T) **Service evaluation of preoxygenation for caesarean section under general anaesthesia**
R Porter, IJ Wrench, R Freeman

POSTER PRESENTATIONS

(The presenter is underlined) (T) indicates a Trainee poster

Posters P1 – P101 are published in the IJOA meeting Supplement

- P.1 **(T) A diagnostic dilemma for postpartum headache**
A H Lind, J Joseph, L Khor, E A Thornberry, R Vanner, D Gabbott, C Garcia-Rodriguez
- P.2 **(T) An audit of long-term sequelae of post dural puncture headache**
A Natarajan, S Biswas, K Gray, DN Lucas, PN Robinson
- P.3 **Anaphylaxis during cesarean section; the importance of a good history**
CF Weiniger, PD Levin
- P.4 **Are depth to epidural space and the incidence of accidental dural tap related?**
N Hollister, D Thorp-Jones, J Coghill
- P.5 **(T) Carrying out an epidural blood patch: an OAA approved survey of national UK practice**
S Eason, J Mörch-Siddall
- P.6 **(T) Changing to an 18-gauge Tuohy needle can halve the incidence of severe PDPH**
JB Sadashivaiah, G Lyons, R Wilson, H McLure
- P.7 **(T) CT-guided blood patching: an opportunity to reduce risk of additional dural puncture**
M Armstrong, J Lermite, H El-Madbouh, D Jeevaratnam
- P.8 **Difficult intubation in parturients: myth or reality?**
B Pujic, L Jovanovic, S Milovanovic, A Otic, M Kendrisic
- P.9 **(T) Does bed rest vs. immediate mobilisation after epidural blood patch change efficacy?**
TL Jones, R Fernando, AJ England
- P.10 **(T) Lipaemic CSF: a case of failed spinal anaesthesia**
DG Nicolson, S Kadambande, RE Collis
- P.11 **More tapping at night? A review of nocturnal risk of accidental dural puncture in epidural analgesia for labour**
N Hollister, D Thorp-Jones, J Coghill
- P.12 **(T) The CUSUM method to detect abnormal rates of unintentional dural puncture**
MJ Mackenzie, BJ Norman
- P.13 **(T) What mothers know, and want to know, about the complications of general anaesthesia**
GNB Jackson, SM Yentis, M Woolnough, K Gough, A Natarajan, DN Lucas, PN Robinson
- P.14 **(T) A retrospective audit of early warning scores in the detection of critically ill obstetric patients**
SR Tufail, EM Flavell, RE Collis
- P.15 **A retrospective review of obstetric admissions to a tertiary referral liver intensive care unit**
HJ Kaye, VA Skelton, GDL Allan
- P.16 **(T) A survey of obstetricians' knowledge of aspects of acute care in maternity HDU patients**
N Sabir, DJA Vaughan, DN Lucas, I Chan, S Bhuptani, PN Robinson
- P.17 **(T) A three-year survey of obstetric critical care admissions in a tertiary centre**
N M Girish Sadhu, R Wadsworth, R Samangaya
- P.18 **(T) Survey of high dependency care on delivery suite: anaesthetists' roles and views**
S Rathinam, F Plaat
- P.19 **Validity of a postoperative quality of recovery score after caesarean section: the FS-15**
A Bright, T Tan, L Briggs
- P.20 **A comparison of three ultrasound probes for imaging of the lumbar spine before caesarean section: a pilot study**
B Munishankarappa, GA McLeod, J Fisher, G Corner, S Cochran

- P.21 **(T) A prospective study of epidural catheter migration: is there a correlation with patient size and time in situ?**
N J Hollister, G K Simpson, J Thurlow
- P.22 **(T) Analgesia for labour at the Royal Free Hospital: a patient perspective**
C Moss, R Simons
- P.23 **Change from continuous infusion to patient-controlled epidural analgesia (PCEA) in a tertiary obstetric unit: impact on obstetric outcomes**
KL Konrad, MJL Scrutton
- P.24 **(T) Does previous back surgery affect the success of obstetric regional anaesthesia and analgesia? A retrospective audit of 10 years experience in a district general hospital**
SS O'Neill, H Edgcombe, R Jones
- P.25 **(T) How hard do you work? An analysis of anaesthetic interventions during three different epidural maintenance techniques for labour analgesia**
G Peters, R Snaith, A Harvey, S Martin, E McGrady
- P.26 **(T) In-vitro spread of epidural infusion regimes: infusion vs PCEA bolus vs manual injection**
MJ Gray, S Dinesh
- P.27 **(T) Management of epidurals in the late stages of labour: national survey of midwifery practice across the United Kingdom**
R Dumpala, F Faulds, S Sagadai
- P.28 **Predictive criteria of difficult Tuohy needle insertion during labour analgesia**
J Guglielminotti, A Chaiერი, L Guezouli, B Wachowska, K Bedairia, E Bedairia, D Michel, P Montravers
- P.29 **(T) Preparation of spinal injectate, the danger of dead space: a survey of current practice**
L Hulatt, C Wilson, M Davison
- P.30 **Real-time ultrasound-guided epidural and spinal block for the obstetric patient**
B Munishankarappa, G McLeod, J Fisher, G Corner, S Cochran
- P.31 **Regional analgesia for labour: a survey of UK practice**
A Prabhu, F Plaat
- P.32 **(T) The influence of deprivation on mode of delivery and use of labour epidural analgesia**
A Ankers, R Sashidharan
- P.33 **Use of 'mobile epidurals' in the UK**
A Prabhu, F Plaat
- P.34 **(T) A four-year comparative outcome study of obese versus non-obese obstetric patients**
N Uwubamwen, N M Girish Sadhu
- P.35 **(T) Body mass index and needle length for obstetric epidural techniques**
H Murgatroyd, RC Wilson, H Mclure, GR Lyons
- P.36 **(T) Morbid obesity in obstetrics: a re-audit of CEMACH recommendations**
A P Shannon, G M Yuill
- P.37 **(T) Obesity in obstetric anaesthesia: an audit of anaesthetic management**
J D Griffin, D Portch, J Thurlow
- P.38 **(T) Outcome of super-obese parturients delivering at a tertiary obstetric unit**
P Zuokumor, M Abdelghani, P Kochhar
- P.39 **(T) Should obstetric patients be weighed before anaesthesia?**
A Kant, M Dresner
- P.40 **Survey of existing anaesthetic guidelines for managing morbidly obese parturients in the North-West region**
K Veerabadran, VK Melachuri, S Gandhi

- P.41 **The effect of change in BMI during pregnancy on obstetric anaesthesia outcomes**
S Desai, SL Maguire, MO Columb
- P.42 **(T) Trainee supervision for out-of-hours emergency caesarean section in the morbidly obese**
C Eckersley, P Stone, J Reid
- P.43 **(T) Weight gain during pregnancy: review of practice?**
S Sivasubramaniam, N Mathew, R Akhtar
- P.44 **(T) 200% increase in conversion rate: audit of technique of anaesthesia for caesarean section**
PN Gunasekera, M Purva, IF Russell
- P.45 **(T) Anaesthesia for caesarean section in premature infants**
Y Stefak, TC Thomas, R Russell
- P.46 **(T) Are we getting the dose right? A survey of current regional anaesthesia practice for caesarean section in the West Midlands**
S Gnanasekaran, M Shanmugam, S Dinesh
- P.47 **(T) Cold to touch: has changing the way we test our spinal blocks changed our rescue analgesia and general anaesthesia conversion rates?**
G K Simpson, J Thurlow
- P.48 **Comparison of two doses of phenylephrine with crystalloid cohydration for prevention of spinal anaesthesia-induced hypotension during elective caesarean section: a double blinded randomised controlled study**
T Ansari, M Hashem, A Razek, A Gamassy, A Saleh
- P.49 **(T) Continuous non-invasive blood pressure monitoring and phenylephrine infusion: a perfect combination for caesarean sections under neuraxial anaesthesia**
M Doraiswami, P Paramban, A Whiteman, S Kapoor
- P.50 **General anaesthesia in the obstetric patient: can we predict who will require it?**
RJ Vickers, MS Reddy
- P.51 **(T) Infrared foot temperature measurement and assessment of epidural blockade for caesarean section**
S Hussain, DG Nicolson, R Baraz, RE Collis
- P.52 **Is general anaesthesia necessary to reduce diagnosis-to-delivery intervals for cord prolapse?**
IR Mohamed Iqbal, CH Laxton, D Siassakos, Z Hasafa, T Draycott
- P.53 **(T) Lessons learnt: a 12-month prospective audit of decision-to-delivery times for class 1 caesarean section**
S J A Gold, R Martlew
- P.54 **Measured angle of tilt achieved by an inflatable balloon wedge: is visual assessment a valid predictor?**
B S Grewal, I Suri
- P.55 **(T) National survey of obstetric difficult airway guidelines and equipment**
A Joseph, J Dedhia, M Mushambi
- P.56 **(T) Normal urine output after caesarean section**
MJ Mackenzie, SM Yentis, M Woolnough, NA Barrett, MR Johnson
- P.57 **(T) Pre-printed labels for block height documentation after regional anaesthesia for caesarean section**
A Mathews, F Webster, M Mushambi
- P.58 **(T) Retrospective study of 1602 obstetric intubations: predicting difficult and failed intubation using the Mallampati test**
J Thompson, SS O'Neill, L Hutchings, R Jones
- P.59 **(T) Service evaluation of transversus abdominis plane block following caesarean section under subarachnoid anaesthesia with intrathecal diamorphine**
B Edwards, E Puddy, I Wrench
- P.60 **(T) The accuracy of location of the cricothyroid membrane by the palpation method**
SC Ng, N Salah, N Aslani, N Hayes, C McCaul

- P.61 **The case for abandoning dermatome maps for caesarean section under regional anaesthesia**
P S Shetty, S M Yentis
- P.62 **(T) An audit of interventional radiology in the management of obstetric haemorrhage**
S Bagchi, J Reidy, K Langford, G O'Sullivan
- P.63 **(T) Audit of autologous and allogenic blood use in obstetrics**
E Powell, N Osborn
- P.64 **(T) Haemodynamic effects of a bolus or infusion of oxytocin: a randomised double-blind trial**
E Van den Enden, J Lahousse, R Devlieger, E Vandermeersch, M Van de Velde
- P.65 **Haemorrhage after vaginal delivery: a 12-year retrospective survey**
S Quaglia, A Morra, A Zito, C Pasqualini, M Demichela, E Gollo
- P.66 **Implementing cell salvage for non-emergency caesarean sections**
C Ralph, J Faulds, I Sullivan
- P.67 **(T) Interventional radiology for uterine bleeding**
JC Barker, E Drake, R Miles, IR Anderson
- P.68 **(T) Interventional radiology in the management of obstetric haemorrhage: an OAA survey of UK maternity units**
VJ Webster, R Stewart, MJA Wilson
- P.69 **(T) Jehovah's Witnesses: a six-year experience in a tertiary obstetric unit**
L Feddy, E Selvaraasan, P Zuokumor, P Kochhar
- P.70 **Management of 69 consecutive cases of suspected placenta accreta**
CF Weiniger, C Weissman, Y Ginosar, T Elram, L Eid
- P.71 **Maternal haemodynamics at elective caesarean section following oxytocin 5-unit bolus and placebo infusion compared to oxytocin 5-unit bolus and 30-unit infusion**
B Munishankarappa, GA McLeod, H MacGregor, D Murphy
- P.72 **(T) Post-partum haemorrhage admissions to critical care: completing the audit cycle**
A D Evans, L Rees, R E Collis
- P.73 **(T) Prophylactic uterine artery balloon catheters for suspected placenta accreta**
M G Williams, G Lyons, H McLure, R Wilson
- P.74 **(T) Use of cell salvage during caesarean section in patients with placenta praevia**
S Singaravelu, S Mallaiah, P Barclay
- P.75 **(T) Caesarean hysterectomy in a patient with severe mitral stenosis and placenta accreta: a case report**
D Morland, W Wight, J Waugh
- P.76 **(T) Caesarean section in a patient with mediastinal B-cell lymphoma and haemophilia A**
S Eason, W Wight
- P.77 **(T) Cardiac ischaemia and troponin rise in a structurally normal heart: should peripartum chest pain be more aggressively investigated?**
KC Tatham, Y Hughes-Roberts*, SW Davies*, M Cox
- P.78 **(T) Case report: severe mitral stenosis diagnosed on the second post-operative day following elective CS**
MW Turner, J Curtis
- P.79 **Intravenous nitroglycerin for uterine inversion: successful management of four cases and a literature review**
S Irikoma / Shingo
- P.80 **(T) Management of acute dissecting thoracic aortic aneurysm in full term pregnancy: a case report**
A Srivastava, J Kendall

- P.81 **(T) Management of multiple caesarean sections in a parturient with Conradi Hunermann syndrome**
N Syed, S Kuchi, J Stone, S Francis, M Mushambi
- P.82 **(T) Ogilvie's syndrome and intestinal obstruction after caesarean section: a case report and guideline review**
P-A Laloë, S Quasim
- P.83 **Parturients with prolonged QT interval: a series of deliveries**
E Drake, R Preston, J Douglas
- P.84 **(T) Origins of OAA abstracts published in IJOA**
LA Arrandale, GNB Jackson, MJ Mackenzie, SM Yentis
- P.85 **(T) The International Journal of Obstetric Anesthesia: more cited now indexed**
GNB Jackson, SM Yentis
- P.86 **(T) Types of abstract presented at OAA meetings**
LA Arrandale, MJ Mackenzie, GNB Jackson, SM Yentis
- P.87 **(T) Types of article published in IJOA since inception**
MJ Mackenzie, SM Yentis
- P.88 **An investigation into pain catastrophizing scores and previous labour outcomes in multiparous women**
S J Fox, J Humphreys, I Lieberman
- P.89 **(T) HIV in pregnancy: a retrospective study**
V Adriaens, A Pexsters, R Devlieger, E Vandermeersch, M Van de Velde
- P.90 **National survey of the availability of translator services**
M A Rafi, U Misra, Z Arfeen
- P.91 **(T) OAA epidural information card: is it useful?**
S Thunga, A Khader, R Sashidharan
- P.92 **(T) Serial measurements of neonatal cardiac output following caesarean section using Doppler ultrasound: establishing reference ranges**
TL Jones, R Fernando, S McDonald, A Stewart, M Columb
- P.93 **(T) Short- and long-term effects of fetal nociceptive stimulation on pain response of rat pups in neonatal life**
V Piot, F De Buck, L Sbragia, J Deprest, M Van de Velde
- P.94 **Survey of obstetric anaesthetic workforce provision in units with greater than 5000 deliveries per annum**
S J Fox, J Plummer
- P.95 **(T) TEG demonstrates that unfractionated heparin has no anticoagulant activity after caesarean section**
HMM Boyce, J Ng, H Hume-Smith, MO Columb, GM Stocks
- P.96 **(T) The influence of antenatal class attendance on maternal anxiety**
J Dolan, S Young, J Kinsella
- P.97 **(T) The Mental Capacity Act and labour**
GNB Jackson, SM Yentis, T Sensky
- P.98 **The use of oxytocin in labor and fetal cerebral blood flow variation**
E Shifman, A Ivshin, S Floka
- P.99 **(T) Clinical evaluation of the effect of alfentanil patient-controlled intravenous analgesia in labour on Apgar scores**
R Dobson, IJ Wrench, E Puddy
- P.100 **Obstetric outcomes before and after the introduction of a remifentanil patient-controlled analgesia service**
PM Foley, DA Hill

- P.101 **Remifentanil analgesia for labour: clinically useful with acceptable side effects**
TO Tveit, JH Rosland
- P.102 **(T) A three year review of neurological complications after central neuraxial blockade in obstetrics**
A Kelkar, R Leighton, P Sharpe
- P.103 **(T) Airway management: a regional survey of obstetricians.**
P Walsh, D Choi, R Black, M Papat
- P.104 **(T) An audit of parturients desire for information about rare complications of regional anaesthesia.**
R Gowni, PAS Moore
- P.105 **Audit of maternal complications when extending epidural analgesia for emergency caesarean section with a lidocaine-bicarbonate-adrenaline mixture.**
KJ Ashpole, V Mansoubi, J Allam, SM Yentis
- P.106 **(T) Complications associated with epidural insertion, results from 10,034 epidurals performed between 2000 – 2008.**
C Grassmann, T Wauchob
- P.107 **(T) Complications associated with single shot spinal insertion, results from 9627 spinals performed between 2003 – 2008.**
C Grassmann, T Wauchob
- P.108 **(T) Documentation of the discussion of risks prior to epidural analgesia in labour**
S Fraser, K Mathieson, P Stone
- P.109 **(T) Post-dural puncture headache: A review of practice.**
NA Mathew, S K Sivasubramaniam, R Akhtar
- P.110 **(T) Audit of the Monitoring of Obstetric Patients in Theatre Recovery**
H Maghur, GE Roberts
- P.111 **(T) Deprivation and Obstetric ICU Admissions**
A Ankers, S Wray, R Sashidharan
- P.112 **(T) High Risk Obstetric patients and the use of the red dot sticker system as a warning system.**
S Bishop, A Hool, R Hockman, K Melachuri
- P.113 **(T) Modified Early Obstetric Warning Scores (MEOWS); The way forward?**
L Vestarkis, M Purva
- P.114 **(T) Obstetric ALERT: An evaluation of the ALERT course adapted for obstetrics.**
S Hussain, S Morris
- P.115 **(T) Obstetric early warning score charts: A midwife's view.**
DG Nicolson, NA Harris, RE Collis
- P.116 **(T) Obstetric ITU Admissions in a Large DGH: A Retrospective Audit**
MJ Husband, M McCoo, S Chitre, C Grieves, D Radhakrishnan
- P.117 **(T) Kyphoscoliosis and Spinal surgery in Obstetrics-A three year retrospective audit.**
N Syed, O Navti, C Elton
- P.118 **Patient-controlled intravenous analgesia for labor - audit of our half a year experience with remifentanil**
A Rozman, M Zupancic, G Pavlovic, M Urh, A Cerkvenik-Škafar
- P.119 **(T) The relationship between anxiety, anticipated pain and perceived pain scores in primiparous patients undergoing induction of labour.**
J Dolan, S Young, J Kinsella
- P.120 **(T) Timing of analgesia by primiparous women during labour. Correlation with antenatal class attendance**
J Dolan, S Young, J Kinsella

- P.121 **(T) Why women choose to avoid epidurals**
A T Shirgaonkar, A Vipond, R Bannerjee
- P.122 **(T) Co-morbidity and Peripartum Complications in Morbidly Obese Women delivering by Casearean Section Out of Hours**
C Eckersley, P Stone, J Reid
- P.123 **(T) Co-morbidity in morbidly obese parturients.**
R Snaith, S Young
- P.124 **(T) Local prevalence and impact of obesity on obstetric anaesthetic service**
SE King, SN Pilkington
- P.125 **(T) Morbid obesity and anaesthetic workload**
R Snaith, S Young
- P.126 **(T) Regional techniques in morbidly obese parturients: A retrospective audit of difficulty and success**
S Fraser, P Stone
- P.127 **(T) The relationship between maternal obesity and anxiety**
J Dolan, S Young, J Kinsella
- P.128 **(T) Who cares for the morbidly obese parturient? A retrospective audit.**
K Joshi, S Kandala, B Loughnan, DN Lucas
- P.129 **(T) A prospective audit of conversion of epidural labour analgesia in 61 emergency Caesarean sections**
J A Short, J Sanyal, J Dasan
- P.130 **A randomized controlled study evaluating colloid preload to prevent maternal hypotension after spinal anaesthesia for caesarean section**
FC Rahmoune, A Saadelli, H Yahiaoui, A Bouzenacha, M Ouchtati
- P.131 **(T) Audit of Documentation of Administration of Phenylephrine during Caesarean Section**
R Leighton, K Smyth
- P.132 **(T) Audit of temperature change in patients undergoing Caesarean Section**
J Humphreys, P Kochhar
- P.133 **(T) Audit of transversus abdominis plane block combined with low-dose intrathecal morphine for pain relief after caesarean section.**
M Thondebhavi Subbaramaiah, LS Barker
- P.134 **(T) Audit of postoperative pain management following Caesarean section under general anaesthesia including the use of Transverse Abdominis Plane Block**
G Sivasankara, J Colgan, N Venugopal, M Molloy
- P.135 **(T) Category 1 caesarean section (CS): General anaesthesia vs regional block. Times from decision to delivery – are we taking too long?**
G K Simpson, J Thurlow
- P.136 **Comparison of preoxygenation in parturients and volunteers.**
E Puddy, IJ Wrench, A Glossop, M Feast, E Russell, F Mohammed
- P.137 **(T) Efficacy of Transversus Abdominus Plane Block after Caesarean Section.**
SN Naresh, T Bhari, RJ Elton, S Balasubramanian
- P.138 **(T) Extending epidural analgesia for emergency caesarean section. Ropivacaine 0.75% vs L-bupivacaine 0.5%.**
S Hillyard, E Fajemirokun, A Shakir, G O'Sullivan
- P.139 **General anaesthesia in a tertiary obstetric referral centre: effect of protocol implementation.**
M Van de Velde, A Pexsters, J Deprest, E Vandermeersch, E Roofthoof
- P.140 **Patient anxiety levels and spinal anaesthesia for elective caesarean: The effect of discussing anaesthesia-associated risks and patient recall ability.**
KK Haga, A Cameron, A Campbell, C Douglas, R Gordon, L Kennedy, R Musy, T Trudeau, C Grice

- P.141 **(T) Retrospective audit on the use of Combined Spinal Epidural anaesthesia for patients having repeat caesarean section.**
R Gowni, S Jagannathan, K Hasan
- P.142 **Transversus Abdominis Plane (TAP) block in elective unilateral gynecological operation: randomized prospective controlled study**
M Lulic-Drljacic, V Golubovic, M Matanic-Manestar, E Begovic-Sisul, D Lulic, L Bolic
- P.143 **(T) Transversus Abdominis Plane (TAP) Block reduces opioid related side effects after LSCS.**
Subash Sivasubramaniam, E J F Jacintha, Kavitha Sadan
- P.144 **(T) UK National Survey of Elective Caesarean Section Theatre Availability (OAA Seal of Approval No.83)**
J Johal, A Donaldson, J Plummer, S Maguire
- P.145 **Validation of a novel inclinometer for the application of 15° left lateral tilt**
 MD Wiles, DM Levy
- P.146 **(T) Waste Not, Want Not: Pre-drawn Emergency Drugs in Obstetric Theatre.**
S F A Sharaf, A Addei, M Rowlands
- P.147 **Which dermatome, Which modality? An audit of anaesthetic assessment of regional block for caesarean section.**
UR Bapat, P Nambyiah, SP Rhodes
- P.148 **A 12 month Retrospective Audit of the Causes and Management of Post Partum Haemorrhage at the Royal Surrey County Hospital (RSCH).**
 P S J Bathke, S Comara
- P.149 **(T) Audit of delivery times of emergency blood products for labour ward**
TH McCarthy, R Leighton
- P.150 **(T) Major Obstetric Haemorrhage in an Irish University Hospital**
RA Ojo, S Froese, C Fitzpatrick, MF Carey, RA Fanning
- P.151 **(T) Multidisciplinary Audit on Blood Transfusion in Obstetrics**
S Kandikattu, A Chattwani, A Mishra, S Ward
- P.152 **(T) A case of postpartum Hamman's syndrome**
 A R Bailey, M E Morosan
- P.153 **(T) Anaesthetic management of parturition for a marfanoid woman with an aortic root exostent: a case report**
L Kirkham, N Wharton, M Scrutton, S Kinsella, I Gardner, N Harvey, S Curtis, J Pepper, T Treasure, T Golesworthy
- P.154 **Case Report of a Successful Cardiac Arrest in Maternity.**
EJ Pascall, J Thurlow
- P.155 **(T) Failed epidural, failed spinal, almost failed intubation**
R Baraz, SR Stamatakis, MR Stacey
- P.156 **Spinal Anaesthesia for Caesarean Section in a Patient with Huntington's Chorea.**
A E Mohamed, R Laird, J McAlinden
- P.157 **(T) Spinal Anaesthesia for Emergency Caesarean Section for a patient with von Hippel Lindau disease**
TH McCarthy, R Leighton, MC Mushambi
- P.158 **(T) Subdural haematoma following dural puncture: prevention, diagnosis and treatment.**
A Natarajan, S Biswas, K Gray, R Patel, D Vaughan, N Robinson
- P.159 **(T) Comparison of the effects of different anesthetic techniques on neonatal jaundice**
Ilknur Sui Yorulmaz, Yavuz Demiraran, Mustafa Albayrak, Abdulkadir Iskender , Ismail Ozdemir, Yahya Okan Balcioglu
- P.160 **(T) Maternal Intravenous Drug Abuse: Effects on Anaesthetic Workload**
R Snaith, K Simpson, K Litchfield

- P.161 **(T) Obstetric Training for Anaesthetists in Glasgow**
RJ Kearns, E McGrady, S Young, J Kinsella
- P.162 **(T) Optimum cruising angle to prevent sickness.**
G K Simpson, J D Griffin, J Thurlow
- P.163 **(T) Q. What do mothers remember about epidurals? A. "Something about a headache!"**
MJ Husband, D Kirk, N Campbell, D Radhakrishnan
- P.164 **(T) Skin-to-skin contact during elective caesarean section under spinal anaesthesia.**
M Elwishi, SM Kinsella, C Hipkin, M Gudaca
- P.165 **(T) Venous Thromboembolism Prophylaxis After Instrumental Delivery : An Audit**
S Hussain, O Adekanye